THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHAYL COME;

Jacques Seed Company

Colhereus, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT, ARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S), AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF CIGHTER AND PRIFICIAL OF PLANT OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED PROTECTION OF PROPERTIES AND PRIFICANT OF PLANT, SUBJECT TO THE PAYMENT OF THE REQUIRED PROPERTY AND PRIFICANT OF PLANTS OF THE RESIDENT.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S), AND THE SUCCESSORS, HEIRS OF ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF eighteen years from the Date of this grant, subject to the payment of the required fees and teriodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, or offering it for sale, or reproducing it, importing it, or exporting it, or using it in producing a hybrid or different tety therefrom, to the extent provided by the Plant Variety Protection Act T. 1542, As amended, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'J-231'

En Essimony Wanexeot, I have hexeunto set my hand and caused the seal of the Elant Variety Exotection Office to be affixed at the City of Washington, D. C. this 30th day of April in the year of our Lord one thousand nine hundred and eighty-seven.

Secretary of Agriculture

Attast:

Kenneth W. Evans

Plant Variety Predection Office Society Services

EXHIBIT A, ORIGIN AND BREEDING HISTORY OF THE VARIETY

1976	Corsoy was crossed with an F_1 plant of Hodgson x Calland.
1976-77	F ₁ generation was grown in Belize. Seeds were bulked.
1977	${\tt F}_2$ generation was grown at Prescott, Wisconsin. One pod per plant was picked to form a composite for the ${\tt F}_3$ generation.
1978	F_3 generation was grown at Prescott, Wisconsin. Fourteen plants were selected for advancement to the F_4 .
1979	F_4 generation was grown at Prescott, Wisconsin. Row 3 was selected and six plants were selected within row 3.
1980	F_5 generation was grown at New Richland, Minnesota. Row 6 was selected and seed was bulked for yield testing in 1981.
1981	Yield tests at three locations.
1982	Yield tests at three locations.
1983	Yield tests at three locations.
1984	Yield tests at nine locations.

J-231 is an F_5 derived line that was increased from five plants in 1981. Eight pounds of seed were grown in 1982 and one acre was grown in 1983. Ten acres were grown in 1984. All seed increase to this point has been conducted at Prescott, Wisconsin.

J-231 appears uniform and stable. Grey hila appear up to 0.5 percent and buff hila up to 0.3 percent.

ADDENDUM TO EXHIBIT A

J-231 has imperfect black hila. Environmental conditions may influence hila color expression ranging from buff to black. Yellow hila appear up to 2.0 percent, buff hila up to 1.0 percent and grey hila up to 1.0 percent. These variants were present in the original germplasm.

EXHIBIT B, NOVELTY STATEMENT

J-231 is most similar to Corsoy 79. J-231 matures two-days later than Corsoy 79 and has predominantly imperfect black hila compared with yellow for Corsoy 79.

2/2/87

J-231 has improved lodging resistance versus Corsoy 79 (2.0 vs. 2.5). J-231 scores a 3 for iron chlorosis resistance versus 4 for Corsoy 79 and has darker pod coloration than Corsoy 79.

EXHIBIT B

University of Illinois

Maturity Dates

	Elwood 1981	Elwood 1982	Urbana 1982
Voris 295	10-01	9-29	9-16
Corsoy 79	9-23	9-19	9-06

Purdue University - 1981

	DeKalb Co.	Tippicanoe Co.	Randolph Co.	Posey Co.
Voris 295	10-01	10-01	10-14	9-09
Corsoy 79	9-24	9-20	10-10	8-30

Voris 295 averages 9 days later in maturity than Corsoy 79.

<u>University of Minnesota - 1984</u>

Average of 3 locations

J-231 (E84100) 9-19 Corsoy 79 9-19

Iowa State University - 1984

Average of 3 locations

J-231 (E84100) 9-26 Corsoy 79 9-20

Michigan State University - 1984

Average of 4 locations

J-231 (E84100) 9-26 Corsoy 79 9-26

J-231 matures approximately the same as Corsoy 79.

(Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

SOTBER	(IV (Grycine max E.)	
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Jacques Seed Company	2009017	J4231
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	e)	FOR OFFICIAL USE ONLY
720 St. Croix Street Prescott, Wisconsin 54021		8500173
Choose the appropriate response which characterizes the varing your answer is fewer than the number of boxes provided,	iety in the features described l place a zero in the first box w	pelow. When the number of significant digits hen number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	O	
2 I W	T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened 4 = Elongate Flattened ((L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)		
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	N	
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	y'; 'Gasoy 17')	and the second of the second o
4. SEED SIZE: (Mature Seed)		
1 8 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
5 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ick 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	h bronze band below cotyledons ('Coker Hampton 266A')	'Woodworth'; 'Tracy')
10. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	

11. LEAF	LET SIZE:				•
2	1 = Small ('Amsoy 71'; 'A5312') 2 = Medium ('Corsoy 79'; 'Gasoy 17') 3 = Large ('Crawford'; 'Tracy')		·	-	_
12. LEAF	COLOR:				
2	1 = Light Green ('Weber'; 'York') 2 = Medium Green ('Corsoy 79'; 'Braxto 3 = Dark Green ('Gnome'; 'Tracy')	on')			_
13. FLOV	VER COLOR:				
2	1 = White 2 = Purple 3 = White with purple throat				
14. POD (COLOR:				
2	1 = Tan 2 = Brown 3 = Black		<u></u> !	·	_
15. PLAN	T PUBESCENCE COLOR:				
1	1 = Gray 2 = Brown (Tawny)				
16. PLAN	T TYPES:				
2	1 = Slender ('Essex'; 'Amsoy 71') 2 = Intermediate ('Amcor'; 'Braxton') 3 = Bushy ('Gnome'; 'Govan')	• · · · · · · · · · · · · · · · · · · ·			
17. PLAN	T HABIT:				_
3	1 = Determinate ('Gnome'; 'Braxton') 2 = Semi-Determinate ('Will') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')		23 108		e manager e
18. MATU	RITY GROUP:			•	
0 5	1 = 000	7 = IV	8 = V		
o DICEA	OF OF ACTION, (See 0 - Not Torted: 1 - Supportible: 2 # Resistant)				
	SE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Hesistant)	•			
BAC	TERIAL DISEASES:				
0	Bacterial Pustule (Xanthomonas phaseoli var. sojensis)				
0	Bacterial Blight (Pseudomonas glycinea)				
0	Wildfire (Pseudomonas tabaci)				
FUNG	AL DISEASES:				
0	Brown Spot (Septoria glycines)				
: !	Frogeye Leaf Spot (Cercospora sojina)				
			Other (Specify)	•	
		نیں		<u> </u>	_
	Target Spot (Corynespora cassiicola)		i .		
0	Downy Mildew (Peronospora trifoliorum var. manshurica)				
	Powdery Mildew (Microsphaera diffusa)				
	Brown Stem Rot (Cephalosporium gregatum)				•
0	Stem Canker (Diaporthe phaseolorum var. caulivora)				

19. DISEASE RE	ACTION: (Enter 0 = Not Tested; 1 = Susceptible;	; 2 = Resistant) (Continued)		
FUNGAL	DISEASES: (Continued)			
0 Pod	and Stem Blight (Diaporthe phaseolorum var; soja	e)		
0 Purs	ole Seed Stain (Cercospora kikuchii)			
0 Rhi	zoctonia Root Rot (Rhizoctonia solani)			•
Phy	tophthora Rot (Phytophthora megasperma var. soj	ae)		
2 Rac	e 1 2 Race 2 1 Race 3	Race 4 Race 5	Race 6	Race 7
1 Rac	e 8 1 Race 9 1 Other (Specif	fy)		
VIRAL DI	SEASES:			
0 Bud	Blight (Tobacco Ringspot Virus)		* * * * * * * * * * * * * * * * * * *	
0 Yeli	low Mosaic (Bean Yellow Mosaic Virus)			
0 Cov	vpea Mosaic (Cowpea Chlorotic Virus)			
0 Pod	Mottle (Bean Pod Mottle Virus)			•
0 See	d Mottle (Soybean Mosaic Virus)			
NEMATO	DE DISEASES:			
Soy	bean Cyst Nematode (Heterodera glycines)			
1 Rac	e 1 1 Race 2 1 Race 3	1 Race 4 0 Other (Sp	ecify)	
0 Lan	ce Nematode (Hoplolaimus Colombus)			
0 Sou	thern Root Knot Nematode (Meloidogyne incogni	ita)	·	
0 Nor	thern Root Knot Nematode (Meloidogyne Hapla)			
0 Pea	nut Root Knot Nematode (Meloidogyne arenaria)		• •	
	iform Nematode (Rotylenchulus reniformis)		•	
0 OT	HER DISEASE NOT ON FORM (Specify):		·	
		a (11.0 - Paristant)		
	ICAL RESPONSES: (Enter 0 = Not Tested; 1 = 5	Susceptible; 2 = Resistanti	•	
	n Chlorosis on Calcareous Soil		·	;
—	er (Specify)			
	ACTION: (Enter 0 = Not Tested; 1 = Susceptible;	; 2 = Resistant)		
	xican Bean Beetle (Epilachna varivestis)		•	
	ato Leaf Hopper (Empoasca fabae)			
	ner (Specify)			
22. INDICATE	WHICH VARIETY MOST CLOSELY RESEMBLE		NAME OF VA	RIFTY
CHARACT	TER NAME OF VARIETY	CHARACTER	corsoy	
Plant Shape		Seed Coat Luster Seed Size	Corsoy	
Leaf Shape	Corsoy	Seed Shape	Corsoy	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1
Leaf Color	noughou	Seedling Pigmentation	Corsoy	I
Lour Stee	Corsoy		e de la companya de	e ee kuu taa

FORM LMGS-470-57 (2-82)

Page 3 of

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS			LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY	MATURITY SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
J-231 Submitted 2009017	129	2.0	75	25.0	19.2			18.0	3
Name of Similar Variety COTSOY 79	127	2,5	85	23.3	16.5			16.0	3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A₂ in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

JUN 25 1985

JUN 25 1985

AMS

PVP0

EXHIBIT E, STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

The applicant for plant variety protection is the employer of the breeder of J--231.